

FIREPLACE KIT SYSTEM FROM BRUNNER




BSK 06 with Architektur **45/101** with top-mount boiler

State: 2018-02-09




BRUNNER[®]
made in germany.

Dimension sheets - BSK 06 with Architektur 45/101 with top-mount boiler



Dimension sheets - BSK 06 with Architektur 45/101 with top-mount boiler



... with flue gas adapter

We suggest for CAD planing Palette CAD. Permanent updated drawings: www.brunner.de
 Frames / front versions are marked colored.

Planning and installation - BSK 06 with Architektur 45/101 with top-mount boiler

Tested according to		EN 13229
Data for functional demonstration		
Rated heat power	kW	14
Fire wood volume	kg/h	5
Flue gas mass flow	g/s	20
Flue gas temperature	g/s	200
Necessary supply pressure ¹⁾	Pa	15
Combustion air consumption	m ³ /h	50
Combustion air connection Ø	mm	125
Cladding components		
Foot print (W x D)	mm	1550 x 690
Overall height	mm	1899
Height of extension ring	mm	345
Minimal distances		
to mounting wall	cm	5
to mounting wall with heat protection panels	cm	0
to combustible mounting wall	cm	10
to combustible mounting wall with heat protection panels	cm	5
from top of fireplace to ceiling	cm	40
Cross-section of gratings ²⁾		
Convection air	cm ²	1035
Supply air	cm ²	811
Thermal insulation without / with air gratings		
In ceiling region connection without/with air grate	cm	10 / 8
Weight		
Total weight	kg	960
Meets requirement/limit values for:		
Germany/ Austria / Suisse / Norway		1.BImSchV (Stufe 2) / 15a BVG (2015) / - / -

1) Damper flap recommended

2) Openings for the air